

ROTOOL Punch 69.01 Drift Punch

Versions:

- 9800690290 Long version 290 mm, Ø 15mm (cylindrical), from 1.8 kg
- 9800690001 Short version 210 mm, Ø 16 mm (cylindrical), from 1.4 kg
- 9800690005 Hickory handle for track drift punch



ROTOOL Crow 69.02 Crow Bar

Versions:

- 9002500087 with spike pulling notch and point, L=1250 mm, Ø 30 mm, from 6.2 kg
- 9002500088 with cutting edge and point, L=1500 mm, Ø 30 mm, from 8.0 kg
- 9806902001 with ball and point, L=1800 mm, Ø 30 mm, from 10.1 kg



ROTOOL Hammer 69.03 Hammer

- For positioning rails into grooved plates and for driving plastic dowels into concrete sleepers
- With wear-resistant, replaceable plastic inserts

Versions:

- 9002500089 Hammer Ø 100 mm, from 5.3 kg
- 9002500112 Hammer Ø 125 mm, from 7.2 kg
- 9002501191 Hickory handle for hammer



ROTOOL Ram 69.04 Track Ram

- To be used by 4 persons
- Wear-resistant, replaceable plastic inserts

Versions:

- 9800690004 Track ram, from 103 kg



ROTOOL Pick 69.05 Tamping Pick

Versions:

- 8006905001 Tamping pick with handle, from 4.3 kg
- 9002500092 Tamping pick without handle, from 3.75 kg
- 9002500093 Handle for tamping pick



ROTOOL Sleeper 69.06 Sleeper Hammer

- Forged with oval eye

Versions:

- 9002501193 Sleeper hammer 5 KG, from 5.5 kg
- 9002501194 Sleeper hammer 6 KG, from 6.5 kg
- 9002501195 Sleeper hammer 8 KG, from 9 kg



ROTOOL Fork 69.07 Ballast Fork

Versions:

- 8006907001 Ballast fork (9-arm) with handle, from 2.7 kg
- 9002500095 Ballast fork (9-arm) without handle, from 1.8 kg
- 9002500109 Fork handle



ROTOOL Lever 69.08 Points Lever

- For installing and removing plastic clips Ssb2, Ssb3 and Ssb4

Versions:

- 9800690003 Points lever, from 6 kg



ROTOOL Shovel 69.09 Steel Sheet Shovel

Versions:

- 8006909001 Steel sheet shovel with handle, from 1.9 kg
- 9002500098 Steel sheet shovel without handle, from 1.1 kg
- 9002500109 Shovel handle



ROTOOL Broom 69.10 Switch Broom

- Switch broom with polypropylene insert
- Optional: Ice scraper attachment (self-installation)

Versions:

- 8006910002 Switch broom with handle, without ice scraper, from 1.9 kg
- 5169100100 Ice scraper without handle, from 1.1 kg



ROTOOL Adze 69.11 Adze

Versions:

- 8006911001 Flat adze 85 mm with handle, from 1.4 kg
- 9002500120 Flat adze 85 mm without handle, from 1.1 kg
- 9002500120 Handle for adze



ROTOOL Chisel 69.12 Cold Chisel

Versions:

- 9002500103 Cold chisel with wood handle
L= 600 mm, from 1.9 kg
- 9002500168 Cold chisel with fibreglass handle
L= 600 mm, from 1.7 kg
- 9002500104 Cold chisel without handle
- 9002500139 Wood handle for cold chisel



ROHORN Single 69.13 Single-Tone Signal Horn

Versions:

- 9002500103 Cold chisel with wood handle
L= 600 mm, from 1.9 kg
- 9002500168 Cold chisel with fibreglass handle
L= 600 mm, from 1.7 kg
- 9002500104 Cold chisel without handle
- 9002500139 Wood handle for cold chisel



ROSIGN 69.14 SH 2 Stop Disc

Rectangular (440 x 550 mm), red with white border

- 9002002107 Stop disc without holder
- 9002007862 Stop disc, reflecting.
without holder
- 9002002293 Holder for stop disc,
to be fixed on the rail
- 9000800249 Holder for stop disc,
to be fixed on the rail, suitable for 2 x SH2 discs
(with option for flashing warning light)



ROHORN Multi

69.15

Multi-Tone Signal Horn

Versions:

- 9800690015 Multi-tone signal horn, from 0.8 kg
- 9800690151 Replaceable mouthpiece (plastic)



ROTOOL Eject

69.16

Clip Bolt Ejecting Device

For removing rusted clip bolts from grooved base plates.

8006916001 Clip bolt ejector



ROTOOL Extract

69.18

Extraction Socket

For extracting torn off sleeper screws.

Easy to extract with T-key, impact wrench or wrenching machine.

- Adapter AF 39
- Profile inside diameter 17.5 mm
- Outside diameter 26 mm

Versions:

- 8338950101 Extraction socket for wooden sleeper screw – short (L = 110 mm)
- 8338950180 Extraction socket for wooden sleeper screw – long (L = 150 mm)



Torque Wrench

- 9002501218 Torque range 50 – 320 Nm
- 9002501790 Torque range 130 – 650 Nm
- 9002501248 Torque range 400 – 1000 Nm

